# Ontology Matching OM-2008

Pavel Shvaiko, TasLab, Informatica Trentina, IT Jérôme Euzenat, INRIA & LIG, FR Fausto Giunchiglia, U. of Trento, IT Heiner Stuckenschmidt, U. of Mannheim, DE

**OM-2008** 

#### **Discussion and wrap-up**

- OM-2008 workshop dinner
  - Multi Kulti restaurant at 20:00, Schlosplatz 19, D-76131 (15-20 mins walk from here)
- OM-2009 & OAEI-2009
- Challenges for ontology matching
- OAEI future actions
- Role of final users in ontology matching

#### **Challenges for ontology matching**

- Large-scale evaluation
- Performance of ontology matching techniques
- Discovering missing background knowledge
- Uncertainty in ontology matching
- Matcher selection and self-configuration
- User involvement
- Explanation of matching results
- Social and collaborative ontology matching
- Alignment management: infrastructure and support
- Reasoning with alignments

#### **OAEI** future actions

- Test cases with diversified relations
- Instance matching
- Other missing test cases (expressive)
- How to sustain OAEI?
- EU funding: FP7, CIP
  - ICT event in Lyon: November 25-27, 2008
  - InfoDays in Budapest: January 22, 2009
- What can we learn from the CADE, SAT and TREC campaigns to maximize impact?

#### **Role of final users**

- It is rarely the case that final users are directly involved in the definition of use cases in ontology matching research projects (some exceptional examples include OpenKnowledge, STITCH, ...)
- Involving final users into R&D cycles requires addressing a social challenge of integrating relevant actors: research centers, technology providers and user institutions ...
- In order to foster an early practical exploitation of the matching prototypes, it is necessary to directly involve final users in R&D cycles

### **Evaluating non equivalence** mappings in OAEI [by Marta Sabou]

- Increasingly, systems are able to derive more than just non-equivalence mappings (e.g., Asmov, TaxoMap, Spider)
  - The OM field is clearly advancing in this direction
- No explicit support exists for their evaluation in (most of the) OAEI tracks
  - Spider obtained a precision value of 15% by comparison to the ref alignment, yet expert evaluation indicates 60%+ values.
- We propose a new track which focuses on evaluating non-equivalence mappings thus:
  - responding to the current advances in the field
  - encouraging the development of more matchers with advanced functionalities

#### October 26, 2008 – Karlsruhe, Germany

OM-2008

### Acknowledgements

- We thank all members of the program committee, authors and ISWC'08 organizers for their efforts
- We appreciate support from the:

OM-2008

- Trentino as a Lab (TasLab) project of the European Network of the Living Labs at Informatica Trentina
- OpenKnowledge European STREP (FP6-027253)

## Thank you

#### www.om2008.OntologyMatching.org

